

Kinematicimprovements@gmail.com

Mail Negative Models To The Address Above

Kinematic Improvements
901 N. McDonald St. Suite 906
McKinney, Tx. 75069

Phone: 1-888-338-8309

UPS 2nd Day Air_

UPS Next Day Saver_

Rinematic improvements	FAX: 972-767-3216		
Patient Name Sex Ht Dx Left Right Bilateral Cast Date N			oner's Direct Contact on for Quick Questions.
Facility Name Ortho			
AddressCi Zip Code PO #		-	国际科技国
Shipping Address State Zip Code Facility Phone Number	SCAN to Colo	the QR Options	
Adjustable Bounder			
Posterior Dynamic Bounder Strap — • Free Range Bounder comes with a plantar flexion assist strap on the posterior aspect of the AFO. It has 3 slots on the back to change the plantar flexion tension with no tools needed. We will select the correct posterior strap based off the height of the cast and weight of the patient Cast Corrections in Degrees Neutral Dorsiflexion Plantar Flexion Leave as is Cast Modifications to address Pronation Supination Neutral Leave as is Plastic and Pattern Selection ***Indicate The Transfer Paper Color Polypropylene Modified-Polyethylene Copolymer Other Thickness of Plastic 1/16" 3/32" 1/8" Aftach Straps on Lateral Side Medial side Type of closure Chafe Velcro Hook Midfoot Elastic "T" Strap Rivet on the Medial Lateral side for the correct directional pull Forefoot Elastic "T" Strap Rivet on the Medial Lateral side for the correct directional pull Forefoot Elastic "T" Strap Rivet on the Medial Lateral side for the Rivet on the Medial Rivet on			
Externally locking shell Slide shell Internally		ectional pull	Oh a ala China ii
***Indicate The Padding / Foam Color Selection Figure of 8 StrapAdjustable Check Strap 25 Durometer EVA foot plate only Night Time Stretching StrapsVelcro W/Elastic			
25 Durometer EVA inner boot with intrinsic posting and growth adjustments Exposed (open) Heel 25 Durometer EVA inner boot with extrinsic posting and growth adjustments Flexible carbon fiber foot plate built in-between the EVA layers of the inner boot (not visible to patient) Modified polyethylene (not growth adjustable)			
OP Flex Molded Inner boot OP Flex Lined with Fax Orders forms to 972-767-3216 or Email Them To	UP	S Ground	Shipping UPS Next Day by 10am